## AUTHOR INDEX

- Blair, A. W., see Lipman, J. G., and Prince, A. L.
- Bodman, G. B., The hydrogen peroxidehydrochloric acid treatment of soils as a method of dispersion in mechanical analysis, 459-470.
- Bouyoucos, G. J., The hydrometer method for making a very detailed mechanical analysis of soils, 233-238.
- Brown, Duke D., The effect of different proportions of calcium nitrate potassium di-hydrogen phosphate on the growth of wheat in sand cultures, 441–446.
- Buchanan, R. E., and Fulmer, E. I., Physiology and Biochemistry of Bacteria. Vol. I. Growth Phases; Composition and Biophysical Chemistry of Bacteria and their Environment; and Energetics, (book review) 327-328.
- Carter, E. G., and Greaves, J. Dudley, The nitrogen-fixing microörganisms of an arid soil, 179–197.
- Chapman, H. D., The precipitation of calcium oxalate in the presence of iron, aluminum, titanium, manganese, magnesium, and phosphates with special reference to the determination of total soil calcium, 479-486.
- Conn, H. J., On the microscopic method of studying bacteria in the soil, 257-259.
- Fulmer, E. I., see Buchanan, R. E. and
- Gardner, W., Israelsen, O.W., and McLaughlin, W. W., The drainage of land overlying artesian basins, 33-45.
- Gilbert, B. E., and McLean, F. T., A "deficiency disease:" The lack of available manganese in a lime-induced chlorosis, 27-31.
- Greaves, J. Dudley, see Carter, E. G. and
- Halversen, W. V., The value of nitrification tests on soils representing extreme contrast in physical and chemical properties, 221-231.
- Harper, H. J., and Murphy, H. F., The growth of cotton in various nutrient solutions, 139-147.

- Heine, E., Die praktische Bodenurtersuchung (Practical Study of the Soil), (book review) 254.
- Houghland, G. V. C., Adsorption of potassium from different sources and nitrification studies with Norfolk sandy loam, 329-345; Fertilizer studies with early potatoes, 199-215; Fertilizer studies with sweet potatoes, 291-304.
- Israelsen, O. W., see Gardner, W., and McLaughlin, W. W.
- Joffe, J. S., and Lee, L. L., A note on the determination of the volume-weight of different soils in the soil profile, 217-219.
- Joffe, J. S., and McLean, H. C., Colloidal behavior of soils and soil fertility: IV. Anion effect on the precipitation reactions and degree of dispersion of aluminum and iron hydroxide, 47-59; Colloidal behavior of soils and soil fertility: V. The distribution of soluble and colloidal iron and aluminum in soils, 317-325.
- Johnston, E. S., Potato plants grown in mineral nutrient media, 173-177.
- Jones, J. S., The ratio of sulfur to phosphorus in Western Oregon soils and losses of sulfur through drainage and cropping, 447-453.
- Keen, B. A., Some comments on the hydrometer method for studying soils, 261-263.
- Kerr, H. W., The identification and composition of the soil alumino-silicate active in base exchange and soil acidity, 385-398.
- Klein, G., and Strebinger, R., Fortschritte der Mikrochemie im ihren verschiedenen Anwendungsgebeiten, (Advances of Microchemistry in its Various Applications), (book review) 83.
- Krauss, B. H., see Sideris, C. P. and
- Lee, L. L., see Joffe, J. S. and
- Leonard, Lewis T., see Marsh, F. W. and
- Lipman, J. G., Blair, A. W., and Prince, A. L., Field experiments on the availability of nitrogenous fertilizers, 1923– 1927, 1-25.

Lindow, C. W., see Peterson, W. H. and McLaughlin, W. W., see Garner, W., Israel-

sen, O. W., and

McLean, Forman T., see Gilbert, B. E. and McLean, H. C., see Joffe, J. S. and

Marsh, F. W. and Leonard, L. T., An apparatus for the superficial examination of roots and nodules, 403-405.

Merkle, F. G., The influence of fertilizer treatments on the content of exchangeable cations in Hagerstown silt loam, 377-384.

Miller, L. B., Retention of phosphate by hydrated alumina and its bearing on phosphate in the soil solution, 435-439.

Murphy, Henry F., see Harper, H. J. and

Newton, J. D., The selective absorption of inorganic elements by various crop plants, 85-91.

Nikiforoff, C., The perpetually frozen subsoil of Siberia, 61-81.

Peterson, W. H., and Lindow, C. W., Variations in the manganese content of certain vegetables, 149-153.

Pierre, W. H., and Worley, S. L., The buffer method and the determination of exchangeable hydrogen for estimating the amounts of lime required to bring soils to definite pH values, 363-375.

Prince, A. L., see Lipman, J. G., Blair, A. W. and

Rayner, M. C., Mycorrhiza. An account of non-pathogenic infection by fungi in vascular plants and bryophytes, (book review) 253-254.

Rudolfs, W., Sewage sludge as fertilizer, 455-458.

Shedd, O. M., Oxidation of sulfur in limed and unlimed soils, 93-105.

Sideris, C. P., and Krauss, B. H., Water relations of pineapple plants, 305-315.

Skeen, J. R., Some reactions of seedlings to

weak concentrations of hydrochloric acid and calcium, 471-478.

Smith, J. B., Desirable soil-nitrate levels for certain market-garden crops, 265-279; Distribution of nitrates in three layers of fallow soil, 347-350.

Snyder, E. F., The application of the antimony electrode to the determination of the pH values of soils, 107-111.

Stallings, J. H., Potato fertilizer experiments, 351-362.

Stephenson, R. E., Crop response to lime on acid soils, 423-434.

Stevens, K. R., see Waksman, S. A. and Strebinger, R., see Klein, G. and

Tenney, F. G., see Waksman, S. A. and Waksman, S. A., Professor V. L. Omeliansky, 255-256.

Waksman, S. A., and Stevens, K. R., Contribution to the chemical composition of peat: I. Chemical nature of organic complexes in peat and methods of analysis, 113-137; Contribution to the chemical composition of various peat profiles, 239-251.

Waksman, S. A., and Tenney, F. G., Composition of natural organic materials and their decomposition in the soil: III. The influence of nature of plant upon the rapidity of its decomposition, 155-171.

Weidemann, A. G., Some factors involved in studying the fixation of phosphorus by soils, 281-290.

Wilson, B. D., Exchangeable cations in soils as determined by means of normal ammonium chloride and electrodialysis, 407-421.

Worley, S. L., see Pierre, W. H., and

Zachorov, C. A., Kurs Potchvoviedienia (Text Book of Soil Science), (book review) 83-84.

## SUBJECT INDEX

Acid soils, crop response to lime on, 423-434 everidipallens, 184 Acidity, determination of, in soils, 102 indolfaciens, 185 Actinomyceslevanensis, 185 albocinereus, 180 multumerescens, 185 cinereus, 180 nephii, 186 exfoliatus, 181 subfuscus, 186 filatosus, 181 Bacteriafradii, n.v., 181 microscopic method of studying, in soil, negrocinereus, 182 257-259 negroflavus, 182 Physiology and Biochemistry of (book nitrogen fixation by, 190 review), 327 roseus-purpureus, 182 Barleysphaerulosus, 183 composition of, 86 veundulatus, 183 Alfalfa, composition and decomposition, 160 sulfur and phosphorus content of, 451 Alkalinity, determination of, in soils, 102 Base exchangecapacity of bentonite and of soils, 391 Alumino-silicateactive in base exchange, 385 equilibrium constant as criterion of mincomposition of, active in bentonite, 393 eral identity, 390 influence of fertilizers on, 377-384 Alumino silicic acidevidence of its being monobasic, 395 methods for determining, 377-380 possible formula of, 397 soil alumino-silicates active in, 385-398 Aluminumanion effect on precipitation and dispersion composition of, 86 of, 47-59 string, manganese in, 152 colloidal and soluble distribution of, in Bentonite, the base exchange of, and that soils, 317 of soils, 391 dialysing, from soils, 320 Boron, influence of, on the potato plant, extraction of, from soils with BaCl2 solu-174 tion, 323 Cabbage, manganese in, 149 fertilizer effect on solubility of, in soils, Calcium-381 content of barley, beans, sunflower, wheat, hydrated, retention of phosphate by, 435 peas, and corn, 86 presence of, in soils, discussion, 57 cyanamide, nitrogen recovery from, 13 presence of, in weak HCl soil extract, 389 nitrate for wheat in sand cultures, 441 oxalate, precipitation of, in presence of Ammoniumreplaceable, in soils variously fertilized, Fe, Al, Ti, Mn, Mg, and phosphates, 382 479-486 sulfate oxide, effect of, on phosporus fixation, nitrification of, 228, 339 nitrogen in, for sweet potatoes, 295 reaction of seedlings to weak concentra-Anions, essential, in acid soils, 429 tions of HCl and, 471-478 Apparatus, soil extraction, 332 replaceable, in soils variously fertilized, Bacillus-381, 424 annulofaciens, 184 Chlorine, effect on state of Al and Fe col-

loids, 48, 55

aridii, 184

Lin

Lin f r Ma

M

M

M M

M

M

M M M

Chlorada hada ad assessment in Niesa	
Chlorosis, lack of manganese in lime- induced, 27-31	sulfur additions to soils, 100, 104 determination of the, with an antimony
Colloids—	electrode, 107-111
aluminum in relation to soil, 47-59	effect on—
amount of, in soil by various methods, 467	colloid state of Al and Fe, 57 nitrification, 338
dialysis of aluminum and iron, 50	Humus, precipitated, content of, in peat, 130
iron and aluminum, distribution in soil,	Hydrochloric acid—
317–325	extraction of soils for replaceable bases,
iron in relation to soil, 47-59	381
water vapor absorption by soil, 469	hydrogen-peroxide method for dispersing
Corn—	soils, 459
composition of, 86	reaction of seedlings to weak concentra-
nitrogen in grain, stalks and cobs, 8 stalks, composition and decomposition,	tions of, and Ca, 471-478 stability of zeolites treated with, 388
starks, composition and decomposition,	Hydrogen—
sulfur and phosphorus content of, 451	exchangeable, and its relation to lime,
Crops, nitrogen in, 8	370
Culture solution, see nutrient solution	peroxide HCl method of dispersing soils
Dialysis—	for mechanical analysis, 459-470
colloidal state as determined by, 50	replaceable, in soils variously fertilized,
experiments with soils, 320	382, 424
Drainage-	Hydrometer—
land overlying artesian basins, 33-45	method for studying soils, comments on
sulfur losses through, 447	the, 261-263
Electrodes, antimony, for pH determination of soils, 107-111	use of the, in mechanical analyses of soils, 233
Electrodialysis and NH <sub>4</sub> Cl methods of de-	Iron—
termining exchangeable cations, 407-421	anion effect on precipitation and disper-
Fertilizer—	sion of, 47-59
fish—	colloidal and soluble, distribution of, in
ground, as a, 299	soils, 317
nitrification of, 337	dialysing, from soils, 320
potassium sources in, mixtures, 300	extraction of—
rates of application of, effect on field, 299	with BaCl <sub>2</sub> solution, 323
sewage sludge as, 455-458	with HCl solution, 389
studies on—	Legumes—
potatoes, 199-215, 351-362	apparatus for examination of roots and
sweet potatoes, 291-304	nodules of, 403–405
sulfur as a, 447	sulfur and phosphorus content of some,
Fertilizers— effect on—	451
exchangeable cations, 377–384	Lignin in peat, 130 Lime—see also calcium oxide
nitrification, 224	crops response to, on acid soils, 423–434
nitrogenous, availability of, 1-25	effect on—
Fish, ground, nitrification of, as affected by	dry matter of crop, 7
potassium, 337	nitrogen recovery, 13, 18
Grass, orchard, sulfur and phosphorus con-	phosphorus fixation by muck soils, 284
tent of, 451	sulfur oxidation in soils, 104
H-ion concentration-see also soil acidity,	hydrogen-ion concentration in relation to,
soils, H-ion, etc.	369
as affected by—	liming factor of determining amount of,
potassium applications, 337	366

Lime (continued)-Nitrate-see also sodium nitrate requirement, buffer method of determineffect on state of Al and Fe colloids, 49, 53 ing the, 363-375 levels for market garden crops, 265-279 Nitrates, distribution of, in fallow soil, 347-Limingfactor, significance of, 366 350 methods for, to definite pH, 369 Nitrification-Magnesiumammonium sulfate, 228, 339 content of sunflower, beans, wheat, barley, as affected bypeas, and corn, 86 fertilizers, 224 replaceable, in soils variously fertilized, fish application, 337 382 hydrogen-ion concentration, 338 Manganeselime, 224 content of various vegetables, 149-153 potassium materials, 335 effect onsoil texture, 224, 231 alfalfa yield, 29 sulfur, 224 bean yield, 28 tankage application, 338 beet yield, 30 dried blood, 229 clover yield, 29 method of studying, 223 corn yield, 28 studies with sandy loam 329-345 lettuce yield, 28 Nitrogenmangels yield, 28 contentof peat, 128, 245 oats yield, 29 onion yield, 28 of sunflowers, beans, wheat, barley, spinach yield, 30 peas, and corn, 86 relation to lime-induced chlorosis, 27-31 fixation-Manure, greenactinomycete, 190 as a cover crop for potato culture, 206 bacilli, 190 effect on yield of sweet potatoes, 298 micrococci, 190 Microbiology of Cellulose, Pectin and Gums penicillium chrysogenum, 190 (book review), 399 fixing microörganisms of an arid soil, Microchemistry in its Various Applications 179-191 (book review), 83 forms of, in fertilizer mixtures for sweet Micrococcuspotatoes, 294 cinereus, 187 in crops onconglomeratus, 187 limed soils, 18 gramnegans, 187 unlimed soils, 13 indolfaciens, 188 leunasalpeter, for sweet potatoes, 297 micans, 188 organic and inorganic, comparative effects non-acidulus, 188 on potatoes, 205 subfuscus, 189 per cent of, in dry matter, 9 subroseus, 189 recovery of, with various crops, 12 Microörganisms, nitrogen-fixing, in an arid source, influence on potato crop, 353, 357 soil, 179-191 tankage, for sweet potatoes, 295 Moisture, see also water urea, for sweet potatoes, 297 growth of pineapples at different concen-Nodules, apparatus for examination of, trations of, 306 403-405 relations to plant growth, discussion, 311 Nutrient solution-Moss, sphagnum, decomposition of, 167 absorption of elements from, by plants, Muck soils, fixation of phosphorus by, 282 Mycorrhiza: an Account of Non-Pathogenic composition of, used by various investi-Infection in Vascular Plants and Brygators, 140 ophytes (book review), 253 cotton growth in, 139-145

Nutrient Solution (continued)-Plantspotato growth in, 173-176 absorption of inorganic elements by, 85-91 wheat growth in, 442 composition of, grown in solutions and Oak leaves, composition and decomposition, 160 pineapple, water relations of, 305-315 Potassiumnitrogen content in grain and straw, 8 adsorption of, from different sources, sulfur and phosphorus content of, 451 329-345 Omeliansky, L. V. (obituary note), 255-256 chloride, effect on-Organicphosphorus fixation by soils, 286 materials, composition of natural, and potato yields, 352 their decomposition in soils, 155-171 content of sunflower, beans, wheat, barley, nitrogen versus inorganic as fertilizer, peas and corn, 86 205-295 di-hydrogen phosphate for wheat in sand Peas cultures, 441 composition of, 86 materials, comparison of, in fertilizer manganese in, 151 mixtures, 300 sulfur and phosphorus content of, 451 replaceable, in soils variously fertilized, Peat-382 chemical nature of organic complexes in, sources for potatoes, a comparison of the, 113-136 355 composition of some plant materials which sulfate, effect on potato yield, 352 give origin to, 133 Potatolignin and humus in, 130 fertilize for the, 199, 351 lowmoor and highmoor, composition, 125 growth of, in culture solutions, 173-177 methods of analysis of, 123 sweet, fertilizer studies, 291-304 nitrogen distribution in, 128, 245 Rock phosphate, effect on exchangeable profiles, chemical composition of various, calcium, 425 239-250 Roots, apparatus for examination of, 403-405 theories on the process of formation of, 116 Rye, straw, composition and decomposition, Penicillium chrysogenum, 189 159 Phosphate-Sand cultures, growth of wheat in, 441-446 retention of, by hydrated alumina, 435, Sewage sludge as fertilizer, 455 439 Siberia, the perpetually frozen subsoil of, rock-61 - 77effect of, on exchangeable calcium, 425 Sodiumuse of, in nutrient solutions, 143 carbonate, extraction of soil with, 389 Phosphoruschloride, effect oncontent ofnitrification, 341 legumes, forage crops, and grains, 451 potassium replacement, 334 sunflower, beans, wheat, barley, peas and corn, 86 as N source for sweet potatoes, 295 fixation of, by soils, 281-290 recovery of N from, application, 13 negative fixation of, 282 replaceable, in soils variously fertilized, sulfur ratio in Oregon soils, 447 382 Soil-Pine needles, decomposition, 166 acidity-see also H-ion concentration composition of, materials, 158 compostion of the, alumino-silicate and, distribution, relation to H-ion concentration of soil, 475 alumino-silicate active in base exchange, materials which give origin to peat, 133 nature of, its influence on decomposition, apparatus for leaching, 332 155-171 calcium, determination of, as oxalate, 479

by dispersion method, 459 Soil (continued)by hydrometer method, 233-238 fallow, distribution of nitrates in, 347-350 muck, fixation of phosphorus by, 282 fertility and colloidal behavior of soils, phosphorus fixation by, factors involved, 317-325 grinding effect on absorption of water 281-290 sandy loam, nitrification in, 333 vapor by, 469 sulfate determination in, 95 microscopic method of studying bacteria in, 257-259 sulfur oxidation in limed and unlimed, 93-105 moisture, relation to plant growth, dissulfur phosphorus ratio in Oregon, 447-453 cussion, 311 nitrate levels for garden crops, 265-279 volume-weight of, 217 Stoke's law, use of, in making mechanical nitrogen-fixing microörganisms of an arid, 179-191 analysis of soils, 233 Practical Study of the, (book review), 254 perpetually frozen, profile, determination of volume-weight of of N. America, 75 soils in the, 217-219 of Siberia, 61-77 Science, Textbook in (book review), 83 state of aggregation of Al and Fe in, 321 solutionabsorption of elements from, by plants, Sulfate, effect on state of Al and Fe colloids, 48, 51 Sulfurphosphate in the, 435 texture, effect on nitrification, 224 content of some legumes, forage crops and grains, 451 effect onacid, crop response to lime on, 423-434 exchangeable calcium, 424 acidity determination in, 102 nitrification, 224, 226, 230 alkalinity determination in, 102 oxidation of, in limed and unlimed soils, aluminum and iron distribution in, 93-105 317-325 anions in, 429 phosphorus ratio in Oregon soils and buffer capacity of, and lime requirement, losses of, 447-453 sulfate, method of analyzing in soils, 95 colloidal behavior of, 47-59, 317-325 Sunflowerconductivity of, as affected by K fertilizcomposition of, 86 ers. 337 sulfur and phosphorus content of, 451 dispersion of, in mechanical analysis, Timothy-459-470 nitrogen content of, 8 exchangeable cations, electrodialysis and sulfur and phosphorus content of, 451 NH<sub>4</sub>Cl methods of determining, 407-421 Tomatoes, manganese in, 153 formation of, in region of perpetually Volume-weight, determination of active, of frozen subsoils, 69 soils, 217 H-ion concentration-Water-see also Moisture movement of, in drains, 53 as affected byrelations of pineapple plants, 305-315 exchangeable hydrogen, 369-370 unfree, effect on phosphorus fixation, 287 potassium chloride treatment, 286, sulfur additions, 100 composition of, 86, 444 determination with an antimony elecgrowth factors in, as related to culture trode, 107-111 solutions, 442 liming to a definite, 369 nitrogen content in grain and straw, 8 hydrogen-peroxide-hydrochloric acid treatsulfur and phosphorus content of, 451 ment of, 459-470 hydrometer method for studying, 261-263 determination of base-exchange capacity liming factor of, 368

mechanical analysis of-

stability of, towards hydrochloric acid, 388